





Where You Can Buy Trust



SLAB

800x2400mm | 800x1600mm | 600x1200mm





Dear Colleagues, Partners and Well-Wishers,

AP TILES/Reliance Sanitary Wares is a modernized enterprise integrated with R&D, manufacturing, sales and services, having a complete set of integrated sales team, applying brand strategy, setting up enterprise image, and being the advocator and Pioneer in the field of Ceramics.

We are feeling very happy to introduce our new venture AP TILES/Reliance Sanitaryware with wide range of Digital Wall & Floor Tile, Sanitaryware products and accessories.

Keep improving and striving for excellence is the core strategy to our quality improvement. AP TILES/Reliance Sanitaryware is devoting itself to exploring deeper on global market, so as to provide high-quality products and sincere, sophisticated services to the whole customers, to build up the better life for all human.

The people of AP TILES/Reliance Sanitaryware will put their best efforts in the direction of providing luxurious bathroom solutions to our respected customers. The dynamic team of marketing and the innovative technologists will design and style products for the demanding customers.

In our quest to make life great, we will always make our processes efficient to make pricing affordable to most of the people of our country and around the world. Our processes and management systems will be improved continuously to ensure that our bathroom solutions will value for money for the customer and a great business proposition for our dealers and distributors.

The future is challenging, but we are sure that we will beat the milestones set by us. We are setting a goal for 2022 to meet our vision of being the most recognized brand in bathroom solution for a long time that make homes better and lives happier. We inspire people to live their Dreams and drives Growth.

Together we can beat the Best and Lets Make it Happen.

ISO 9001:2015
Certified Company



I I N N D D E E X X

01 | **FULL BODY GVT SLAB**
800x2400 MM Pg. 04

02 | **GLOSSY GVT SLAB**
800x1600mm Pg. 09

03 | **GLOSSY GVT SLAB**
600x1200mm Pg. 15

04 | **HIGH GLOSS GVT SLAB**
600x1200mm Pg. 21

05 | **MATT GVT SLAB**
600x1200mm Pg. 22




FULL BODY
SLAB

GVT


800x2400mm



AUSTRAL GOLD



SILVER PORTORO



CLASSIC WHITE



FULL BODY
SLAB

GVT


800x2400mm




CRYSTAL NANO BLACK



CRYSTAL NANO JAISALMER



GOLDEN PORTORO




FULL BODY
SLAB

GVT


800x2400mm



GRAPHITE BLUE



NSL BLACK



PORTORO ARGENTO



FULL BODY
SLAB

GVT

800x2400mm



CALACATTA BIANCO





800x1600mm

GVT

600x1200mm

GVT



AP TILES



GLOSSY

GVT

800x1600mm



AGATHA ART




AGATHA BEIGE



ARABESCATO BEIGE



ARMANI BIANCO



AZURO AZUL



SATUARIO GRANDE




GLOSSY

GVT

800x1600mm



CAMBRIUSA BEIGE



CARRARA NATURAL



DIANA BROWN






GLOSSY

GVT

800x1600mm



DYNO CLASSIC BEIGE



EMERALD WHITE



GRAND ONYX



ITALIAN BRECCIA BEIGE



JERICO



MAJESTIC TRAVERTINO BEIGE




GLOSSY

GVT

800x1600mm




MANGUS WHITE



MEGA ONYX



NATURAL SLAT BEIGE





AP TILES


GLOSSY

GVT

800x1600mm



NEBULA SILVER



NEO CARRARA



NEXA VERON




PASSION PULPIS BROWN



SEA WAVE CREMA




SILVER WAVE



GLOSSY

GVT

800x1600mm



THASOS SATUARIO




VG 2010



VIVANTA ONYX BEIGE





GLOSSY

GVT

600x1200mm



AZURO AZUL



CAMBRIUSA BEIGE



FANTASTIC WHITE



FLORENA GREEN




FUSSELLI AZUL



GRAND ONYX




KESAR AZUL



MANGUS WHITE



NATURAL SLAT



PANDA MARBLE




GLOSSY

GVT


600x1200mm



VG 1089



VG 4001



VG 4002






GLOSSY

GVT


600x1200mm




5002 X-1



5002 X-3



ADRINA STONE BROWN



ADRINA STONE GREEN



AGATHA BLUE



ARBESCATO BEIGE



ATLANTIC ONYX



AURISINA BONE



BLEND BLUE



BRISK BOTTOCHINO



GLOSSY

GVT

600x1200mm




CARRARA NATURAL



CALACATTA GREY






GLOSSY

GVT

600x1200mm



CALCUTTA SMOKE



CICILIA BROWN



CLASSIC SATUARIO



CRETTA SATUARIO



DIANA MADERA



ENTHRA BROWN



HONEY ONYX NATURAL




FLORENA BROWN



GRAND ONYX



ITALIAN BRECCIA BEIGE



GLOSSY

GVT

600x1200mm



TITAN RIVER



TORANO CALCATTA



TRAVERTINO



TYPHONE BEIGE







HIGH GLOSS

GVT


600x1200mm




APOLLO BLACK



ARTIC BLACK



BLACK PORTRO



BRATVI BLACK






MATT

GVT

600x1200mm



CEMENTARE DARK



EUCALYPTUS PINE



PORTOFINO LIGHT GREY



SEFORA CEMENT



SILK WOOD BROWN




TIMBER BROWN



TIMBER PINE





FLOOR TILES TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER 13006/EN 176 Group Bla	OUR VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±0.5 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg.	Min 90%	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water absorption	≤0.50 %	≤0.050 %	ISO-10545-3
Apparent density	>2.0 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg.	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (CEO)	Max. 9.0×10^{-6}	Max. 6.5×10^{-6}	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg.	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	N.A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	ISO-10545-15



Branch Office : Ambani Enterprises

📍 Plot No. 428, Aurangabad Jagir,
Amar Saheed Path, Raja Bijli Pasi,
Lucknow-226012, UP, India.

Regd. Office: AP Ceramic

📍 Akshar Complex, First Floor, Office 108,
NR. 8-A, National Highway,
B/h. Shakti Chamber, Morbi-363642,
Gujarat, India.

✉ ap.ceramic2@gmail.com
🌐 www.aptiles.com